

Specification

for SAILSetc Ten Rater

SERIES SAILS & RIGS

prices valid for orders paid during 2014

SAILS	Lightweight	£129.25
	Pocket luff*	£130.50
	Panelled	£109.25
	Standard	£POA

* pocket luff is on the mainsail only

mainsail and headsail have the following features

general features

- battens, self adhesive
- lightweight sails have five panels in the main and four panels in the headsail
- other sails have four panels in mainsails and three panels in headsail
- built in shaping at seams
- lightweight sails NOT SEWN as standard
- other sails have sewn seams for stable shaping
- luff shaping suitable for application
- cloth suitable for application

LIGHTWEIGHT 75/50 micron films mixed

Panelled and
pocket luff SAILSetc 75 micron film

- headsail luff has a narrow pocket suitable for a 0.6 mm diameter forestay

colour of tape light blue
choose blue
from black
the grey
list white
 pink
 red
 orange
 yellow

- corner reinforcements patches are self adhesive

colour of reinforcement blue

choose
from
the
list

dark blue
black
grey
silver
white
pink dayglo
red
orange dayglo
yellow dayglo
cream

options	price
---------	-------

GROOVY mast (for Lightweight mainsail)	slides for
eyelets for rings for round mast	no charge
	no charge
non-standard cloth	see note A
non standard shaping	see note A & B
seams not sewn (standard for 35 micron cloth)	see note A
'finger' patches	£8.25
small pocket at luff for jackline	£7.75
luff hooks for jackline	£10.75
insignia and numbers added to each side of mainsail and headsail	£14.50
national letters applied to each side of one mainsail	£7.20
<i>note A</i>	
for one or more of the 'non standard' options please add per suit of sails	£5.75

note B

the shaping built into our sails has evolved over a long time and many generations of design

F2 sails have our standard shaping
F3 sails have 17% more camber
F1 sails have 17% less camber

sails with non-standard shaping are marked in the tack to show the difference so you will always know if the sails you see are of standard or non-standard shaping

delivery

sails are laid on thick paper then rolled and placed in a 90 or 100 mm diameter cardboard tube
tube has end caps taped in place
delivery by first class post in the UK
delivery by letter post outside the United Kingdom
delivery by other means on application

<i>RIG KITS for Shroudless Rigs</i>	2000-2200	£317
	1800-1900	£303
	1600-1700	£295
	1400-1500	£291
	<1400	£278

a pack contains spars, rigging, sails and fittings sufficient to make one rig with the following features

general features

- lightweight or panelled sails, as appropriate except for <1200 kit
- sails in rig kit <1200 mm are standard sails
- comprehensive plan and step by step instructions
- high modulus round carbon tube for mast, main boom and No 1 headsail boom spars
- SAILSetc headsail boom spar material for lower rigs
- anodised and/or nickel plated fittings as appropriate
- headsail boom counterbalance weights
- gooseneck/kickingstrap unit is simple to fit to mast
- flexible 7 strand rigging wire for standing rigging
- Dyneema rigging cord for running rigging
- fastenings and terminations

you will need the following materials to supplement the pack

Epoxy resin, cyano glue, tape for limit marks (measurement bands)

options	price
pocket luff mainsail for other rigs	£21.25
for other options on sails	see above
GROOVY mast instead of round tubes	£POA
ball raced gooseneck/kicking strap unit, item 12	£26.50
ball raced gooseneck/kicking strap unit, item 12b	£31.60
ball raced head fitting, item 23g, instead of 23-100	£9.50
flat wire instead of flexible seven strand wire	£1
shroud + spreader pack for SAILetc boats	£21.00
shroud + spreader pack for other boats	£15.00
black headsail boom material – when available	£2.50
complete a rig kit	£123.00

delivery

masts over 1.5 metres long have to go by carrier
masts & booms will be packed in grey tube
fittings and rigging will be packed in another pack

rig packs for five rigs bought at same time
there is a 5% discount on the total rig pack price

options	price
fit rig to boat	£POA
sail bag (for three rigs)	£41.25
we no longer stock rig box material, sorry	-

use

The recommended wind speed range for each rig is as follows:

Rig	km/hour measured at 1 metre	knots measured at 10 metres
2100	0-17	0-14
1800	8-21	7-18
1500	14-27	12-23
1250	20-34	17-29

These figures will vary depending on the stability of the boat and wave conditions.

delivery

packed in a sturdy box for delivery by carrier	£POA
alternatively collect the completed rigs	-

end

SAILSetc

Graham & Lorna Bantock
tel + 44 (0) 1376 570 583

141 high street kelvedon
fax + 44 (0) 1376 571 437

essex
sales@sailsetc.com

england co5 9aa
www.sailsetc.com
